







































FVCUSLITE


























































































Fantix stretch downlight seriess

Description:

Embedded pull-up spotlight, 355 ° universal adjustment, surface treatment: surface ring lamp body sand white, black cylinder, material/process: die-cast aluminum/ADC12/reflector, color: black, suitable light source bracket: 1304, cxm-6, 1507, 020, anti-glare accessories: matte filter, single-biased filter, double-biased filter, elliptical filter, honeycomb mesh

SPECIFICATIONS

Lamp model	V323/V323-1/T-V323/C- V323/V323-2/V323- 3/V323-4	V324/V324-1/T-V324/C- V324/V324-2/V324- 3/V324-4	V325/V325-1/T-V325/C- V325/V325-2/V325- 3/V325-4
with or without border	Yes/No	Yes/No	Yes/No
Diameter	61.6/63.5*63.5/117.5*63.5 /117.5*117.5/129.5*68.5/ 139.5*78.5	84/84.5*84.5/158*84.5/180 *90.5//158*84.5 /193.8*104.3/231.5*84.5	105/104.5*104.5/198*104.5 /198*198/238.5*124.5/223. 5*109.5/293.5*104.5
Opening	55/55*55/57.5*57.5/108.5 *55/108.5*108.5/111*57.5 /111*111/120*60/120*62/ 126*65/128.5*67.5/	5/75*75/77*77/50*75 /150*150/152.5*77/152.5*1 52.5/164*77/166.5*79.5/17 7.5*88/180*90.5/222*75/22 4.5*77	95/95*95/97*97/190*95/19 0*190/192.5*97/192*192/2 07*95/209*97/223*109/225 *111/284*95/287*97
Height	86/91/94	104/116	127/142/144
Power	7/2*7/3*7/4*7	12/2*12/3*12/4*12	20/25/2*20/3*20/4*20
Luminous surface	8mm	8/11mm	11mm
Beam angle of light	10° /15° /24° /38° /50°		















