



	Solar Electric Power	Commercial Power
Lamp model	FCS-T24-001	
Lamp Head Size	Φ500*H535MM	Φ500*H550MM
Power	3030 lamp beads, 150 beads	LED30W-100W 100beads
Solar Panel Power	Single-crystal Silicon 30W/5V	/
Color Temperature	White Light/Warm Light	
Battery	Lithium Battery 3.2V/20AH	/
Shell Color	Sand Black/Sand Gray	
Product Materials	Die cast aluminum+PClampshade	
Protection Level	IP65	
Ambient Temperature	50/-30℃	
Weight	6KG	5KG



ISO 9001:2000





	Solar Electric Power	Commercial Power
Lamp model	FCS-T24-002	
Lamp Head Size	Φ500*H385MM	Φ500*H385MM
Power	3030 lamp beads, 120 beads	LED30W-100W 120beads
Solar Panel Power	Single-crystal Silicon 30W/6V	/
Color Temperature	White Light/Warm Light	
Battery	Lithium Battery 3.2V/20AH	/
Shell Color	Sand Black/Sand Gray	
Product Materials	Die cast aluminum+PClampshade	
Protection Level	IP65	
Ambient Temperature	50/-30℃	
Weight	6.1KG	5.1KG



ISO 9001:2000





	Solar Electric Power	Commercial Power
Lamp model	FCS-T24-003	
Lamp Head Size	Φ500*H355MM	Φ500*H355MM
Power	3030 lamp beads, 120 beads	LED30W-100W 120beads
Solar Panel Power	Single-crystal Silicon 30W/6V	/
Color Temperature	White Light/Warm Light	
Battery	Lithium Battery 3.2V/20AH	/
Shell Color	Sand Black/Sand Gray	
Product Materials	Die cast aluminum+PClampshade	
Protection Level	IP65	
Ambient Temperature	50/-30℃	
Weight	6.1KG	5.1KG



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427
Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE



	Solar Electric Power	Commercial Power
Lamp model	FCS-T24-004	
Lamp Head Size	Φ500*H535MM	Φ500*H550MM
Power	3030 lamp beads, 120 beads	LED30W-100W 100beads
Solar Panel Power	Single-crystal Silicon 30W/5V	/
Color Temperature	White Light/Warm Light	
Battery	Lithium Battery 3.2V/20AH	/
Shell Color	Sand Black/Sand Gray	
Product Materials	Die cast aluminum+PClampshade	
Protection Level	IP65	
Ambient Temperature	50/-30℃	
Weight	8.23KG	7.23KG



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427
Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE



	Solar Electric Power	Commercial Power
Lamp model	FCS-T24-005	
Lamp Head Size	Φ500*H535MM	Φ500*H550MM
Power	3030 lamp beads, 150 beads	LED30W-100W 100beads
Solar Panel Power	Single-crystal Silicon 30W/5V	/
Color Temperature	White Light/Warm Light	
Battery	Lithium Battery 3.2V/20AH	/
Shell Color	Sand Black/Sand Gray	
Product Materials	Die cast aluminum+PCLampshade	
Protection Level	IP65	
Ambient Temperature	50/-30℃	
Weight	6KG	5KG



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427
Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE



	Commercial Power
Lamp model	FCS-T24-006
Lamp Head Size	Φ530*H550MM
Power	LED30W-100W 100beads
Solar Panel Power	/
Color Temperature	White Light/Warm Light
Battery	/
Shell Color	Sand Black/Sand Gray
Product Materials	Die cast aluminum+PClampshade
Protection Level	IP65
Ambient Temperature	50/-30℃
Weight	4.6KG



ISO 9001:2000





	Solar Electric Power	Commercial Power
Lamp model	FCS-T24-007	
Lamp Head Size	450*450*385MM	450*450*385MM
Power	3030 lamp beads, 120 beads	LED30W-100W
Solar Panel Power	Single-crystal Silicon 30W/5V	/
Color Temperature	White Light/Warm Light	
Battery	Lithium Battery 3.2V/20AH	/
Shell Color	Sand Black/Sand Gray	
Product Materials	Die cast aluminum+PClampshade	
Protection Level	IP65	
Ambient Temperature	50/-30℃	
Weight	5.4KG	4.4KG



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427
Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE



	Solar Electric Power	Commercial Power
Lamp model	FCS-T24-008	
Lamp Head Size	480*480*165MM	480*480*165MM
Power	3030 lamp beads, 288 beads	LED30W-100W
Solar Panel Power	Single-crystal Silicon 40W/5V	/
Color Temperature	White Light/Warm Light	
Battery	Lithium Battery 3.2V/30AH	/
Shell Color	Sand Black/Sand Gray	
Product Materials	Die cast aluminum+PClampshade	
Protection Level	IP65	
Ambient Temperature	50/-30℃	
Weight	5.4KG	4.4KG



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427
Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE



	Solar Electric Power	Commercial Power
Lamp model	FCS-T24-009	
Lamp Head Size	450*450*350MM	450*450*350MM
Power	3030 lamp beads, 120 beads	LED30W-80W
Solar Panel Power	Single-crystal Silicon 30W/5V	/
Color Temperature	White Light/Warm Light	
Battery	Lithium Battery 3.2V/30AH	/
Shell Color	Sand Black/Sand Gray	
Product Materials	Die cast aluminum+PClampshade	
Protection Level	IP65	
Ambient Temperature	50/-30℃	
Weight	5.4KG	4.4KG



	Solar Electric Power	Commercial Power
Lamp model	FCS-T24-010	
Lamp Head Size	Φ500*H535MM	Φ500*H550MM
Power	3030 lamp beads, 120 beads	LED30W-100W 100beads
Solar Panel Power	Single-crystal Silicon 30W/5V	/
Color Temperature	White Light/Warm Light	
Battery	Lithium Battery 3.2V/20AH	/
Shell Color	Sand Black/Sand Gray	
Product Materials	Die cast aluminum+PClampshade	
Protection Level	IP65	
Ambient Temperature	50/-30℃	
Weight	8KG	7KG

FOCUSLITE®

ABS SERIES



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE

FOCUSLITE®

LAWN LAMP SERIES



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE

FOCUSLITE®

INTEGRATED SOLAR STREET LAMP SERIES



ISO 9001:2000



Company address: No.91 ,Nantou Ave. Dong, Nantou town,Zhongshan City, China 528427

Company address: Show room address : No. S-11,Y23 building ,England cluster,International city,50819 Dubai
UAE